

Alder Creek C&H Allotment 2013 Annual Operating Instructions

Salmon-Challis National Forest
Lost River Ranger District
PO Box 507
Mackay, Idaho 83251

Approved By: /s/ Diane L Weaver 4/30/2013
Diane L. Weaver Date
District Ranger

Prepared By: /s/ Thad Berrett 4/24/2013
W. Thad Berrett Date
Rangeland Management Specialist

Accepted By: /s/ Randy Pehrson 4/24/2013
Randy Pehrson Date
President, Alder Creek Grazing Association

/s/ Shane Rosenkrance 4/24/2013
Shane Rosenkrance Date
Permittee

/s/ Moria Fries 5/2/2013
Alvin Crawford Date
Permittee

/s/ John Lambert 4/24/2013
John Lambert Date
Permittee

Please sign and return this page to the above address

Below is your Annual Operating Instructions (AOI) for the Alder Creek Allotment. This AOI addresses Forest Service administered lands within the Alder Creek Allotment and reflects information discussed during the spring meeting on April 24, 2013. Please review your Term Grazing Permit for grazing utilization, range improvement maintenance, and salting standards. Actual on-dates and off-dates are dependent on range readiness and when allowable use standards are met. The Forest Service may approve changes to the grazing rotation in consultation with the permittees to address range condition situations that may occur due to weather related circumstances.

Permitted Cattle Authorized					
<u>Permittee</u>	<u>Term</u>	<u>Non-Use</u>	<u>2013</u>	<u>Season</u>	<u>Brand</u>
Randy Pehrson	398	0	398	6/16-10/6	
Shane Rosenkrance	118	0	118	6/16-10/6	
Alvin Crawford	52	6	52	6/16-10/6	
John Lambert	30	0	30	6/16-10/6	
Total	604	6	598		

<u>Grazing Unit Rotation</u>	<u>Estimated Days</u>		<u>Rip./Upland/Woody</u>
Big & Little Blind Canyons/Bedy	31	6/16-7/16	4" (50%)/ (50%)/50%
*South Fork Alder	17	7/17-8/02	4" (50%)/ (50%)/50%
*Trail Creek/Upr.-Lwr Brown	28	8/03-8/30	4" (50%)/ (50%)/50%
* Tuscarora/Mammoth/Stewart/Sawmill	28	8/31-9/27	4" (50%)/ (50%)/50%
FS Willow Creek	9	9/28-10/6	5" (35-45%)/ (50%)/50%

*There are no fences separating these units and historically were considered one unit. However, the dates associated with the units will be followed as estimated above. Additional riding will be needed to keep cattle from drifting. The dates are estimates and cattle need to be moved based on utilization standards.

2013 White Knob fuels reduction project will continue this spring. Treatment will occur in the timber/aspen within Chimney Gulch and in steep rocky portions of Mammoth Canyon. Please ride to ensure no cattle occur inside of the areas that were previously burned or are undergoing treatment. You will be notified when livestock will be allowed back into those areas.

Ensure that the Cape Horn Draw prescribed burn area is not grazed in 2013. The permittee has said that they will be grazing Willow Creek pasture last this year and they can bring the cattle off the Forest to BLM before getting to the Cape Horn Draw. This must occur to ensure there are no additional impacts to the vegetation recovery of the Cape Horn Draw burn.

The NRCS Idaho Water Supply Outlook for April 1, 2013 shows that March precipitation was 50% of average across the region dropping water year to date precipitation to 91% of average. Occasional mid-winter storms added snow in the mountains and amazingly April 1 snowpacks are still near normal in the Big Lost and Little Lost basins. All indications show that cumulative drought impacts could persist or worsen this year.

Prepare for another hot and dry season. The precipitation from this winter will prove

insignificant to forage production if we do not get any moisture during the spring and active growing season. In preparing, thoughts of running fewer cattle, less time in each unit and lighter use will reduce the chances of long lasting impacts to the forage species on the allotment. If this occurs the Forest Service expects that cattle may need to be moved more quickly through units and removed prior to October 6th.

Designated Monitoring Areas (DMA's): DMA's are used to monitor representative riparian areas within a grazing unit which establishes a record of utilization and trend. The information from the DMA is also used to plan cattle moves, determine if end of season indicators are met, and to evaluate whether current management is effective or needs to be modified. Permittee monitoring, documentation and photos are encouraged before entering and when leaving each unit.

Allowable Use Standard: A patchy or uneven use pattern along the greenline will usually result in stubble height standard being met. While adequate regrowth may occur under average growing season conditions, the opposite may be true during below average conditions. Special attention should be made to drier weather conditions. It is recommended a stubble height trigger above 4 inches be used in drier conditions to plan cattle moves. Upland standards for utilization are 50% use of key species (Idaho Fescue and Bluebunch wheatgrass) on current year's growth for a deferred rotation system and 50% use on woody species.

The drier mesic meadows adjacent to streams and springs should be watched to ensure that 50% use is not exceeded. These meadows are of concern across the district and more focus is going to be put on use levels in these areas. While all adjacent meadows should be looked at, the drier meadows have less chance of regrowth and therefore are of highest concern. The upland annual use level of 50% should be used to manage the dry meadows and your rangeland management specialist will work with you to determine when a desired use level has been met, so that everyone understands what the meadows should look like after livestock use.

Riparian areas with greenlines dominated by Kentucky bluegrass and tufted hairgrass should also receive special attention to achieve end of season stubble height. Greenlines dominated by these plants have less bank stability than those dominated by deep-rooted plants and are sometimes in a lower state of ecological condition. They should be managed to increase the amount of stable hydric sedges, grasses, and shrubs where appropriate.

Stubble height use levels were exceeded last year in the Trail Creek Unit. All other end of season use levels that were measured met expected levels. The stubble height of four inches needs to be maintained along the riparian areas within the allotment with a 5 inch stubble height in Willow Creek to ensure proper riparian function and limit erosion and trampling of the streambanks. All end of season indicators need to be met on the allotment this year.

Other factors should be considered for planning cattle moves between units. These include prevention of stream bank trampling, increase in rate of stubble height removal, changes in grazing preference from grasses and grass-like plants to young willows and other shrubs, large groups of cattle congregating in fence corners, at gates, or riparian areas for long periods of time.

The Willow Creek riparian greenline monitoring site was established in 2004 and was found to

be at early seral condition. This means a 5 inch riparian stubble height and 35-45% woody browse use standards will be required in the Willow Creek unit.

Cleaning Grazing Units: Livestock need to begin moving from a unit prior to the stubble height standard being met to ensure allowable use standards are met. This is especially important during drought conditions. In most cases 7 days should be adequate. Permittees should be prepared to assist range riders in checking that the unit cleaned stays clean, and providing range riders with adequate maps and Annual Operating Instructions. Range riders should keep permittees informed of problems cleaning grazed units. Bulls should be kept with the main herd or removed from the allotment when they disrupt herd management. Frequent back-riding indicates there is a herd management problem. It is also the permittee's responsibility to correct problems caused by drift from other units.

Fence & Water Improvements: Please refer to Part 3 of your Term Grazing Permit. Allotment boundary fences should be maintained prior to cattle entering the allotment, interior fences should also be maintained prior cattle entering a new unit. Existing improvements should be maintained each year before requesting new improvements. Particular attention should be focused on the allotment boundary shared with the Cherry Creek Allotment. Maintenance responsibilities have been mapped and split between the allotments for increased accountability. The Alder Creek permittees are now responsible for drift and fence responsibilities between Big Flat Top Mtn. and Sheep Mountain; this means you are responsible for any cattle drifting in or out of this area. If you feel you need to add some additional drift fence, materials will be available upon request at the Lost River Ranger Station. **Permittees in non-use status are still responsible for improvement maintenance.**

Weed Free Hay: In accordance with State Law, please ensure that range riders bring hay that is certified and tagged noxious weed free.

Grazing Fees: The grazing fees for the 2013 season are \$1.35/head month. Your grazing fee payment will need to be received prior to turning livestock out on the National Forest. Receipt of payment could take up to 2 weeks from the date payment is sent.

Actual Use Report: An Actual Use Report will be mailed to you shortly after cattle leave the allotment. Please notify this office when cattle are removed from the allotment. The association President will need to provide a consolidated report with dates when cattle entered the allotment, when the main herd was moved from unit to unit, when cattle were removed from the allotment. Each permittee will need to provide an individual report with dates when their cattle entered and left the allotment. Please return the report 2 weeks after it's received to help expedite billing credits for next season and provide data for end of season reports.

Questions and assistance regarding these instructions should be directed to Thad Berrett at (209)588-3400.